





Dimensions of threaded pipe nipples-DIN2982-BS1387

Parallel nipple



Taper nipple



Size		Threaded Tube DIN2440		Threaded Tube BS 1387					Length	
		O.D.	Wall thickness	O.D. B, mm		Wall thickness S, mm			Parallel nipples	Barrel/Taper nipples
DN	inch	B, mm	S, mm	Light	Medium / Heavy	Light	Medium	Heavy	L,mm	L, mm
6	1/8	10.2	2	10.2	10.2	1.6	2		16	30mm – 2500mm
8	1/4	13.5	2.35	13.6	13.9	1.8	2.3	2.9	18	30mm – 2500mm
10	3/8	17.2	2.35	17.1	17.4	1.8	2.3	2.9	22	30mm – 2500mm
15	1/2	21.3	2.65	21.4	21.7	2	2.6	3.2	25	30mm – 2500mm
20	3/4	26.9	2.65	26.9	27.2	2.3	2.6	3.2	30	30mm – 2500mm
25	1	33.7	3.25	33.8	34.2	2.6	3.2	4	35	30mm – 2500mm
32	1 1/4	42.4	3.25	42.5	42.9	2.6	3.2	4	38	30mm – 2500mm
40	1 1/2	48.3	3.25	48.4	48.8	2.9	3.2	4	38	30mm – 2500mm
50	2	60.3	3.65	60.2	60.8	2.9	3.6	4.5	45	30mm – 2500mm
65	2 1/2	76.1	3.65	76	76.6	3.2	3.6	4.5	55	30mm – 2500mm
80	3	88.9	4.05	88.7	89.5	3.2	4	5	60	30mm – 2500mm
100	4	114.3	4.5	113.9	114.9	3.6	4.5	5.4	70	30mm – 2500mm
125	5	139.7	4.85		139.7		5	5.4	85	30mm – 2500mm
150	6	165.1	4.85		165.1		5	5.4	100	30mm – 2500mm

Material: For Running/Parallel Nipples, Seamless or welded steel tubes according to DIN2441,

For Barrel/Taper Nipples, seamless or welded steel tubes DIN2440,

Thread: Running Nipples, DIN259; Barrel Nipples, DIN 2999.

Finish: Black, Galvanized and Hot-Dipped